



# 1-140 Quarter-Turn with T-Handle Pr20.1 L18



## Advantages

- Quarter-turn with T-handle, with or without cylinder.
- Versions **without cylinder** are water- and dust-tight according to **IP65** DIN EN 60529.
- Versions **with cylinder** are water- and dust-tight according to **IP54** DIN EN 60529.
- RH / LH application.
- Grounding by grounding nut.
- On request parts can be assembled by DIRAK.
- A pre-assembled quarter-turn can be installed in the cutout.
- All lockable T-handles supplied with two keys.

## Materials

- **T-handle:** PA, black with zinc die core or zinc die, chrome plated or black
- **Grounding nut:** zinc die

## Remarks

(S) Door-thickness max. 8mm  
Please configure the quarter-turn with a cam.  
1. silicone seal



## Quarter-turn with T-handle

	Part Number	Latching type	Material	Surface	IP protection	Installation type	Delivery Unit
a)	200-9307.00-00000		PA / zinc die core	black	IP65	screw-on	1 pcs.
a)	200-9308.00-00000	keyed alike DIRAK 1333	PA / zinc die core	black	IP54	screw-on	1 pcs.
a)	200-9309.00-00000	keyed different	PA / zinc die core	black	IP54	screw-on	1 pcs.
a)	500-9308.00-00000	keyed alike DS200	PA / zinc die core	black	IP54	screw-on	1 pcs.
a)	200-9319.00-00000		zinc die	chrome plated	IP65	screw-on	1 pcs.
a)	200-9320.00-00000	keyed alike DIRAK 1333	zinc die	chrome plated	IP54	screw-on	1 pcs.
a)	200-9321.00-00000	keyed different	zinc die	chrome plated	IP54	screw-on	1 pcs.
a)	200-9331.00-00000		zinc die	black	IP65	screw-on	1 pcs.
a)	200-9332.00-00000	keyed alike DIRAK 1333	zinc die	black	IP54	screw-on	1 pcs.
a)	200-9333.00-00000	keyed different	zinc die	black	IP54	screw-on	1 pcs.
a)	500-9320.00-00000	keyed alike DS200	zinc die	chrome plated	IP54	screw-on	1 pcs.
a)	500-9332.00-00000	keyed alike DS200	zinc die	black	IP54	screw-on	1 pcs.
a)	501-9320.00-00000	PAGODA keyed alike	zinc die	chrome plated	IP54	screw-on	1 pcs.
a)	501-9321.00-00000	PAGODA keyed different	zinc die	chrome plated	IP54	screw-on	1 pcs.
a)	501-9332.00-00000	PAGODA keyed alike	zinc die	black	IP54	screw-on	1 pcs.
a)	501-9333.00-00000	PAGODA keyed different	zinc die	black	IP54	screw-on	1 pcs.



### Assembly options

200-0001.00-00000 **Assembling cam without o-ring**

200-0019.00-00000 **Assembling cam 90° to handle without o-ring**



### Accessories

b) 1-102 **Cams L35/45 Steel**

b) 1-262 **Cams variable**

