



6-280 Heavy Duty Latch System for HVAC Applications

RoHS
WEEE



IP
65

Advantages

- Handle outside.
- Without lock, with cylinder barrel or insert.
- Suitable for different door-thicknesses.
- Lockable handles, keyed alike, are equipped with stainless steel dust-shutter.
- IP65 according to DIN EN 60529 by sealing kit.

Materials

a), a2) and a3)

- **Handle:** PA, black a1)
- **Handle:** PA, black / steel, zinc plated a3)
- **Insert:** zinc die, chrome plated

Remarks

(S) Door-thickness see product-system 6-280.02
Cutout see product system 6-280.05.
Handle inside see product system 6-280.01.
Shafts see product system 6-280.02.
Cams see product system 6-280.03.
Compression cam see product system 6-280.04.
Bezels and sealing kits see product system 6-280.05.
Fastening with cylinder head screws M8.



Handle outside, without lock

	Part Number	Handle length	Version	Delivery Unit
a)	232-0201.00-00000	130 mm		1 pcs.
a)	232-0202.00-00000	176 mm		1 pcs.
a1)	232-0207.00-00000	130 mm	with steel core	1 pcs.
a1)	232-0208.00-00000	176 mm	with steel core	1 pcs.

Handle outside, with cylinder

	Part Number	Handle length	Latching type	Delivery Unit
a2)	232-9303.00-00000	130 mm	keyed alike DIRAK 1333	1 pcs.
a2)	532-9303.00-00000	130 mm	keyed alike DS200	1 pcs.
a2)	232-9304.00-00000	130 mm	keyed different	1 pcs.

Handle outside, with insert

	Part Number	Handle length	Insert	Delivery Unit
a3)	232-9401.00-00000	130 mm	Square 6mm	1 pcs.
a3)	232-9402.00-00000	130 mm	Square 7mm	1 pcs.
a3)	232-9403.00-00000	130 mm	Square 8mm	1 pcs.
a3)	232-9404.00-00000	130 mm	Square 8mm, slotted	1 pcs.
a3)	232-9405.00-00000	130 mm	Triangular 6.5mm CNOMO	1 pcs.
a3)	232-9406.00-00000	130 mm	Triangular 7mm	1 pcs.
a3)	232-9407.00-00000	130 mm	Triangular 8mm	1 pcs.
a3)	232-9408.00-00000	130 mm	Triangular 6.5mm CNOMO	1 pcs.
a3)	232-9409.00-00000	130 mm	Double bit 3mm pin	1 pcs.
a3)	232-9410.00-00000	130 mm	Double bit 5mm pin	1 pcs.
a3)	232-9411.00-00000	130 mm	Socket hex. 6mm	1 pcs.
a3)	232-9412.00-00000	130 mm	Socket hex. 10mm	1 pcs.
a3)	232-9413.00-00000	130 mm	Square socket 6mm	1 pcs.
a3)	232-9414.00-00000	130 mm	Square socket 7mm	1 pcs.
a3)	232-9415.00-00000	130 mm	Square socket 8mm	1 pcs.
a3)	232-9416.00-00000	130 mm	Daimler Benz type	1 pcs.
a3)	232-9417.00-00000	130 mm	Slotted 2x4mm	1 pcs.
a3)	232-9418.00-00000	130 mm	Crown type key	1 pcs.
a3)	232-9419.00-00000	130 mm	Slotted insert	1 pcs.
a3)	232-9420.00-00000	130 mm	Half-round czech	1 pcs.

* Specific accessories

- b)-b1) 6-280.01 **Handle Inside, for Heavy Duty Latch System**
- d) 6-280.02 **Shafts for Heavy Duty Latches**
- e1)-
e2) 6-280.03 **Cams for Heavy Duty Latches**
- f1)-f3) 6-280.04 **Compression Cam for Heavy Duty Latches**
- c1)-
c6) 6-280.05 **Bezels for Heavy Duty Latches**



